

Acute Gout

Acute gout remains the most frequent inflammatory arthritis in adults, although gout is a well-known rheumatologic disease. The incidence of acute gout keeps rising. There are still many gaps in the management of gout. Acute gout sometimes occurs during hospitalization with other systemic illness. NSAIDs and colchicine are the most frequently used for the treatment of acute gout. However, other anti-inflammatory drugs may also be useful. The urate-lowering therapy seems not that helpful during an acute gout attack. The role of urate-lowering drugs in acute gout is controversial. Serum urate usually remains normal at the time of acute gout attack. The explanation for this low serum urate phenomenon is still lacking.

The emerging environmental risk factors for acute gout attack include particle matter 2.5 (PM 2.5). The relationship between air pollution and gout is still controversial.

This special issue aims to address the unmet needs in acute gout management. Fundamental science research, clinical trials, review articles, correspondence, and case reports are welcome for submission.

Submission Deadline: 31 March 2022 <https://js.signavitae.com/>



Sombat Muengtaweepongsa

Guest Editor:

Dr. Sombat Muengtaweepongsa, MD

Associate Professor and Associate Dean for Research Affairs, Faculty of Medicine, Thammasat University, Pathum Thani, Thailand

Interests: Cerebrovascular and Critical care Neurology particularly targeted temperature management and stroke, Acute gout

E-mail:

sombatm@hotmail.com

Website:

<https://orcid.org/0000-0003-3715-4428>



**Cooperative
Association/Society**



www.signavitae.com

Signa Vitae

Impact Factor: 0.338

Print ISSN: 1334-5605

Online ISSN: 1845-206X

©2020 MRE Press. All rights reserved



Scopus Preview

